

Safety data sheet
according to 1907/2006/EC, Article 31

Page 1/11
KÄRCHER

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** **RM 25 ASF**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Toilet cleaner

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Alfred Kärcher GmbH & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden

Postfach 160
D - 71349 Winnenden

Tel.: +49-7195-14-0
Fax : +49-7195-14-2212

www.karcher.com

· **Further information obtainable from:**

Department PDE-D
Tel.: +49-7195-14-2398
Fax : +49-7195-14-3164
safetydata@karcher.com

· **1.4 Emergency telephone number:** Tel.: 0049 30 30686 790 Giftnotruf Berlin

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

phosphoric acid

(Contd. on page 2)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Page 2/11
KÄRCHER

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 1)

isotridecanoethoxylate + 8 EO

hydrochloric acid

but-2-yne-1,4-diol

· **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Contains but-2-yne-1,4-diol. May produce an allergic reaction.

· **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:**

Cleaning agent

Mixture consisting of the following components.

· **Dangerous components:**

CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-xxxx	phosphoric acid Met. Corr.1, H290; Skin Corr. 1B, H314	10-<25%
CAS: 69011-36-5 EC number: 931-138-8 Reg.nr.: 02-2119552461-55-XXXX	isotridecanoethoxylate + 8 EO Eye Dam. 1, H318; Acute Tox. 4, H302	3-<10%
CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2 Reg.nr.: 01-2119484862-27-xxxx	hydrochloric acid Skin Corr. 1B, H314; STOT SE 3, H335	3-<10%
CAS: 110-65-6 EINECS: 203-788-6 Index number: 603-076-00-9 Reg.nr.: 01-2119489899-05-xxxx	but-2-yne-1,4-diol Acute Tox. 3, H301; Acute Tox. 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Acute Tox. 4, H312; Skin Sens. 1, H317	0,1-<1%

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 3/11
KÄRCHER

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 2)

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants

5 - 15%

· **Additional information**

Specific concentration limits available for isotridecanoethoxylate + 8 EO (CAS 69011-36-5) based on test reports (see Section 11).

For the wording of the listed risk phrases refer to section 16.

*

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· **After inhalation**

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· **After skin contact**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** Corneal damage

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with full jet.

· **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Hydrogen chloride (HCl)

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear fully protective suit.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 3)

- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and receptacles:**
Provide acid-resistant floor.
Store only in the original receptacle.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:**
Store under lock and key and out of the reach of children.
Keep receptacle tightly sealed.
 - **Storage class** VCI-storage class: 8B - not flammable corrosive substances
- **7.3 Specific end use(s)** No further relevant information available.

*

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

7664-38-2 phosphoric acid	
IOELV	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
7647-01-0 hydrochloric acid	
IOELV	Short-term value: 15 mg/m ³ , 10 ppm Long-term value: 8 mg/m ³ , 5 ppm

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 5/11
KÄRCHER

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 4)

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Use suitable respiratory protective device when high concentrations are present.

Short term filter device:

filter E

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

· **Material of gloves** Butyl rubber, BR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Fluorocarbon rubber (Viton)

· **As protection from splashes gloves made of the following materials are suitable:**

* nitril rubber 0,4 mm, 30 min

· **Eye protection:**



Tightly sealed goggles.

· **Body protection:**

Acid resistant protective clothing

Boots

EU

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 5)

*

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Red
Odour:	Fruit-like
Odour threshold:	Not determined.

· pH-value at 20 °C:	0,2
· pH-value 1 %:	2,3

· Change in condition	
Melting point/Melting range:	-2 °C
Boiling point/Boiling range:	100 °C

· Flash point:	Not applicable
-----------------------	----------------

· Flammability (solid, gaseous)	Not applicable.
--	-----------------

· Ignition temperature:	200 °C
--------------------------------	--------

· Decomposition temperature:	Not determined.
-------------------------------------	-----------------

· Self-igniting:	Product is not selfigniting.
-------------------------	------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
-------------------------------	---

· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure:	Not determined.
---------------------------	-----------------

· Density at 20 °C:	1,094 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

· Solubility in / Miscibility with	
Water:	Fully miscible

· Partition coefficient (n-octanol/water):	Not determined.
---	-----------------

· Viscosity:	
dynamic at 20 °C:	4,8 mPas
kinematic:	Not determined.

· Solvent content:	
Organic solvents:	0,0 %
VOC (EC)	0,00 %
Solids content:	26,0 %
· 9.2 Other information	No further relevant information available.

EU

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with alkali (lyes)
Forms hydrogen in aqueous solution with metals
Reacts with light alloys to form hydrogen
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known
- **Additional information:** .

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

7664-38-2 phosphoric acid		
Oral	LD50	2600 mg/kg (Rat)
Dermal	LD50	2740 mg/kg (can)
69011-36-5 isotridecanoethoxylate + 8 EO		
Oral	ATE	500 mg/kg (Rat)
7647-01-0 hydrochloric acid		
Inhalative	LC50	900 mg/kg (rabbit)
110-65-6 but-2-yne-1,4-diol		
Inhalative	LC50	104 mg/kg (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
69011-36-5 isotridecanoethoxylate + 8 EO: specific concentration limit for H318: 10% (BCOP test, OECD 437)
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 8/11
KÄRCHER

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 7)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

*

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

7664-38-2 phosphoric acid

EC50 270 mg/l (bacteria)

LC50/96 h 138 mg/l (*Gambusia affinis*)

69011-36-5 isotridecanoethoxylate + 8 EO

EC50/48 h 1 - 10 mg/l (Aquatic invertebrates)

EC50/72 h 1 - 10 mg/l (Aquatic plants)

LC50/96 h 1 - 10 mg/l (*Leuciscus idus*)

· **12.2 Persistence and degradability**

69011-36-5 isotridecanoethoxylate + 8 EO

Bismuth-act. sup. $\geq 90\%$ (-) (mod. OECD 301 E)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **CSB-value:** 880.000 mg/l

· **General notes:**

The product does not contain organic complexing agents.

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values.

A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 8)

Must be specially treated adhering to official regulations.

· **European waste catalogue**

06 01 04* phosphoric and phosphorous acid

· **Uncleaned packaging:**

· **Recommendation:**

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Non contaminated packagings may be recycled.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN3264

· **14.2 UN proper shipping name**

· **ADR**

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

8 (C1) Corrosive substances.

· **Label**

8

· **IMDG, IATA**



· **Class**

8 Corrosive substances.

· **Label**

8

· **14.4 Packing group**

· **ADR, IMDG, IATA**

II

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Warning: Corrosive substances.

· **Danger code (Kemler):**

80

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 10/11
KÄRCHER

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 9)

· EMS Number:	F-A,S-B
· Segregation groups	Acids
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, PHOSPHORIC ACID, SOLUTION), 8, II

*

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Information about limitation of use:**
Employment restrictions concerning juveniles must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

- **Relevant phrases**
H290 May be corrosive to metals.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.

(Contd. on page 11)

EU

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.10.2015

Version number 5

Revision: 21.11.2014

Trade name: RM 25 ASF

(Contd. of page 10)

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing MSDS: PCD-D**

· **Contact:**

Department PDE-D

Tel.: +49-7195-14-2398

Fax : +49-7195-14-3164

safetydata@karcher.com

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals, Hazard Category 1

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

· *** Data compared to the previous version altered.**

· 0.011-133.0 RM 25/9.3 1.936